

AMENDMENTS TO THE CLAIMS

In the Claims:

The following listing of claims replaces all prior versions and listings of claims in the application.

Listing of Claims:

1–13. (canceled).

14. (previously presented) A method for internationalizing a markup document, comprising:

detecting a localization tag in the document;

retrieving, from the document, localization information associated with said localization tag;

searching a translation file for a localized value associated with the localization information; and

replacing said localization tag in the document with the localized value found in the translation file.

15. (previously presented) The method of claim 14, wherein said localization information includes at least one of a localization attribute, a default localization value, and a value corresponding to an automatic transcription function.

16. (previously presented) The method of claim 15, further comprising:

identifying a type of the document;

detecting said localization tag based on the type of document identified in said identifying step.

17. (previously presented) The method of claim 16, further comprising:

recognizing at least one of grammar and syntax used in the document based on the type of document identified in said identifying step.

18. (canceled).

19. (previously presented) The method of claim 14, wherein said tag is a markup language tag.

20. (canceled).

21. (previously presented) The method of claim 14, further comprising:

prior to the detecting step, creating the translation file to include information which associates said localization information with said localized value.

22. (previously presented) The method of claim 14, wherein the detecting and retrieving steps are performed by a localization tool which is implemented in a dynamic code generation language, said method further comprising:

loading code used to implement said localization tool into the document, said code dynamically generating additional code; and

performing said replacing step as said additional code is dynamically generated by said code used to implement said localization tool.

23. (currently amended) A system for internationalizing a mark-up document which has a localization tag adapted to be detected by a localization tool and in which localization information associated with the tag is retrieved ~~and the localization tag in the document is replaced with a localized value in a translational file associated with the localization information~~, said system comprising:

a localization tool for detecting the localization tag, ~~and retrieving localization information associated with the tag~~ and replacing the localization tag with a localized value associated with the localization information; and

a storage unit which stores the localized value in a translation file.

24. (currently amended) A system for internationalizing a markup document, comprising:

a first storage unit which stores ~~the~~ a markup document having localization tags and associated localization information;

a second storage unit which stores a translation file; and

a localization tool which localizes the markup document stored in the first storage unit ~~based on information by replacing the localization tags with localized values found in~~ the translation file stored in the second storage unit.

25. (previously presented) The system of claim 24, wherein the localization tool is implemented in a dynamic code generation language, and wherein code used to implement the localization tool is loaded into the document, said code dynamically generating additional code.

26. (previously presented) The system of claim 24, wherein the localization tool is a CGI component.

27. (currently amended) A method for internationalizing a markup document during editing of the markup document, comprising:

entering ~~information~~ a tag to be internationalized;
associating at least one localization attribute with said ~~information~~ tag;
proposing entry of a default value of said ~~information~~ tag;
proposing entry of at least one value corresponding to a target language of the markup document being edited;
creating the markup document and an associated translation file; and
storing the translation file in a storage device.

28. (currently amended) A system for internationalizing markup documents, comprising:

an editor for editing a markup document having localization tags and associated localization information, ~~said editor including means and for creating a reference file and an associated translation file based on information entered by a user,~~ the translation file including localization values which replace respective localization tags; and

a storage unit which stores the reference file and the associated translation file.